

19 BUNDESREPUBLIK DEUTSCHLAND

DEUTSCHES



PATENTAMT

12

Gebrauchsmuster

U1

- (11) Rollennummer G 92 17 897.9
- (51) Hauptklasse A61H 7/00
Nebenklasse(n) A61F 7/08
- (22) Anmeldetag 31.12.92
- (47) Eintragungstag 11.11.93
- (43) Bekanntmachung
im Patentblatt 23.12.93
- (54) Bezeichnung des Gegenstandes
Gummiwärmflasche
- (71) Name und Wohnsitz des Inhabers
Langenbeck, Kurt, 25821 Bredstedt, DE

Deutsches Patentamt München,

Bredstedt 8.10. 1993

Aktz.: G 92 17 897.9 n Schreiben vom 20.9. 1993.

Beschreibung und Schutzanspruch.

Eine allgemein bekannte GUMMIWÄRMFLASCHE soll auf einer Seite mit Massiv- u. Hohlknoppen (Schutzanspruch) versehen sein. Siehe Zeichnung. Die vorteilhafte Wirkung: Für im Bett liegende Kranke u. alte Menschen, entsteht durch leichte rythmische Bewegung eine Förderung der Durchblutung u. Rückenmassage.

Kurt Langenbeck
Stettinerstr.
25821 Bredstedt/ NF.
Tel. 04671/ 702.

Deutsches Patentamt
München 2
Zweibrückenstr. 12

25821 Bredstedt 30.3.1993

Aktz.:G92 17 397.9


G u m m i w ä r m f l a s c h e .

Schutzanspruch:

Gummiwärmflasche dadurch gekennzeichnet, daß eine Seite mit mittelweichen Noppen(hohl oder massiv) versehen ist, die ca. 1cm hoch sind

Kurt Langenbeck
Stettinerstr.
25821 Bredstedt

Gummi-Wärmeflasche



Kurt Langenbed
Bredstedt
Aktz.: B 92 17.897. 9

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.